ELSEVIER

Journal of Organometallic Chemistry 490 (1995) C41–C42

Journal of Organometallic Chemistry

Author Index of Volume 490

Abel, E.W., 83
Adachi, T., 117
Antiñolo, A., 7
Antipin, M.Yu., 71

Bassindale, A.R., 75
Basso-Bert, M., 21
Baumann, W., 213
Bazhenova, T.A., 71
Beer, P.D., 143
Benetollo, F., 89
Bertani, R., 89
Bhadbhade, M.M., 173
Biesemans, M., 163
Blackwall, E.S., 83
Blau, S., C32
Bliss, T., 149
Bochkarev, L.N., C29
Bombieri, G., 89
Börner, A., 213
Bourne, S.A., C20
Branco, E.M.P.R.P., 89
Brüdgam, I., 149
Bubnov, Yu.N., C40
Buchowicz, W., 189

Caira, M.R., C20
Canty, A.J., C18
Cativiela, C., 35
Chen, W., C8
Cheng, C.-H., C1
Cheng, C.P., 111
Choukroun, R., 21
Crane, C.G., 143
Creber, M.L., 83

Danks, J.P., 143
Dao, N.Q., 29
Da Silva, J.J.R.F., 89
Deleuze, H., C14
Diaz-de-Villegas, M.D., 35
Du, C.X., 249

Eichhorn, B., 21
Englert, U., 101

Fajardo, M., 7
Fang, Q., 163
Fehlhammer, W.P., 149
Fiedler, C., 133
Fischer, H., 29, 221, 229
Forniés, J., 179
Frank, W., 125, 133
Fritsche, S.D., C18
Fu, F., 163
Fukin, G.K., C29

Gale, P.A., 143
García, J., 35
Garcia-Yuste, S., 7
Gielen, M., 163
Głowiak, T., 203
Godry, B., 45
Gregoire, P., 29
Gridnev, I.D., C40
Guedes da Silva, M.F.C., 89
Gurski, M.E., C40

Heard, P.J., 83
Heckel, M., 51
Hiller, W., 51
Hitchcock, P.B., 155
Hofmann, P., 51
Holz, J., 213
Hossain, M.M., 173
Huang, D.-J., C1
Huang, X., C23
Huang, Y.-Z., C23
Huang, Z.-Z., C23
Huo, S.Q., 243, 249

Ignatenko, A.V., C40
Iyer, S., C27

Jaud, J., 21
Jin, H., C18
Jin, J., C8
Jin, Z., C8

Kadyrov, R., 213
Kayser, F., 163
Kernbach, U., 149
Kerschl, S., 197
Kiat, J.-M., 29
Kless, A., 213
Koch, E.-C., 125
Koelle, U., 101
Kowall, B., 239
Kreiter, C.G., 125, 133
Kristof, E., 1

Lalinde, E., 179
Lang, H., C32
Lau, J.C.-Y., 75
Leroux, F., 221
Li, H., 163
Lucas, D., 7
Lugan, N., 11
Lyssenko, K.A., 71

Madhouni, R., 21
Maillard, B., C14
Maisel, H.E., 197
Makarov, V.M., C29
Malysheva, I.P., 209
Manimaran, B., 173
Martín, A., 179
Mathieu, R., 11
Mathur, P., 173
Matos, R.M., 155
Matsukawa, K., 117
Mazières, M.-R., 21
McAleer, J.F., 143
Meier, C., 51
Michelin, R.A., 89
Milius, W., 197
Miquel, L., 21
Mitchell, T.N., 45, 239
Moldes, I., 11
Moreno, M.T., 179
Moss, J.R., C20
Mozzon, M., 89
Mstislavsky, V.I., C40
Mugnier, Y., 7
Murakami, K., 117
Murthy, J., 173
Muth, A., C32

Navarro, R., 35
Nefedov, S., 11
Neugebauer, U., C32
Nixon, J.F., 155

Ohnet, M.-N., 29
Onitsuka, K., 117
Orrell, K.G., 83
Otero, A., 7

Pan, H., 163
Pasynkiewicz, S., 189
Pietrzykowski, A., 189
Pombeiro, A.J.L., 89
Popławska, J., 189
Puddephatt, R.J., 1

Reindl, D., 29, 221
Reiß, G.J., 125, 133
Riede, J., 51
Roth, G., 229

Sanchez, M., 21
Saranathan, I.S., 173
Satyanarayana, C.V.V., 173
Schmidt, M.U., 51
Schweiss, P., 29
Shanbag, R., 173
Shcherbakov, V.I., 209
Shestakov, A.F., 71
Shilov, A.E., 71
Skelton, B.W., C18
Sonogashira, K., 117
Spasojevic-de Biré, A., 29
Starr, E.J., C20
Struchkov, Y.T., C29
Struchkov, Yu.T., 71
Szymańska-Buzar, T., 203

Taylor, P.G., 75
Tiekink, E.R.T., 163
Tillack, A., 213
Troll, C., 221

Urriolabeitia, E.P., 35
Ustynyuk, Yu.A., C40

Verbruggen, I., 163
Vittal, J.J., 1

Wang, S.R., 111
Wang, Y., 89
Weiss, K., C32
Weißschädel, Chr., 101
White, A.H., C18
Willem, R., 163
Wrackmeyer, B., 197
Wu, Y.J., 243, 249

Xiao, J., 1

Yang, L., 249
Yanovsky, A.I., C29
Yoshida, T., 117

Zachara, J., 189
Zakharov, L.N., C29
Zakharova, R.P., 209
Zhu, D., 163
Zhu, Y., 243
Zhuang, X., C8

ELSEVIER

Journal of Organometallic Chemistry 490 (1995) C43–C50

Journal of Organometallic Chemistry

Subject Index of Volume 490

Alcohol
Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[Rh(COD)_2]BF_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213
Alkenylhydrazinocarbene complexes
Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229
Alkyl
Synthesis of mixed organotin compounds via dialkylstannyl derivatives of sulphomaleic anhydride (V.I. Shcherbakov, I.P. Malysheva and R.P. Zakharova), 209
Alkyne hydrosilylation
Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(dtbpm)RhCl]_2$ and of the silyl complex $(dtbpm)Rh[Si(OEt)_3](PMe_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51
Alkynes
Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl-η^5-cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133
Alkynyl
Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179
Allenylidene complexes
Addition von Phosphanen an das C_α-Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221
Allyl
Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(dtbpm)RhCl]_2$ and of the silyl complex $(dtbpm)Rh[Si(OEt)_3](PMe_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51
Ambiphilicity
The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = *n*-$C_{14}H_{29}$ or *n*-$C_{15}H_{31}$. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20
Amino acid complexes
Metal complexes of biologically important ligands: synthesis of amino acidato complexes of Pd^{II} containing a *C,N*-cyclometallated group as an ancillary ligand (R. Navarro, J. García, E.P. Urriolabeitia, C. Cativiela and M.D. Diaz-de-Villegas), 35
Aminoalkyne
Photochemische Reaktionen von Übergangsmetall– Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl-η^5-2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5-7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125
Arsenic
The first example of α-organoseleno arsonium ylides and its Wittig-type reaction (Z.-Z. Huang, X. Huang and Y.-Z. Huang), C23
Aryl halide
The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Benzyl
Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(dtbpm)RhCl]_2$ and of the silyl complex $(dtbpm)Rh[Si(OEt)_3](PMe_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51
Binuclear complexes
Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11
Borane
Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14
Boron
Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197

Carbene complexes
Homoleptic carbene complexes VI. Bis{1,1′-methylene-3,3′-dialkyl-diimidazolin-2,2′-diylidene}palladium chelate complexes by the free carbene route (W.P. Fehlhammer, T. Bliss, U. Kernbach and I. Brüdgam), 149
Carbonyl
The coordinatively unsaturated cluster cations $[Pt_3\{M(CO)_3\}(\mu\text{-}Ph_2PCH_2PPh_2)_3]^+$ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1
Catalysis
Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(dtbpm)RhCl]_2$ and of the silyl complex

(dtbpm)Rh[Si(OEt)$_3$](PMe$_3$) (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51

C–C bond formation

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl-η^5-cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

C–C-coupling

Photochemische Reaktionen von Übergangsmetall– Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl-η^5-2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5-7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125

Chalcogenide

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds Fe$_2$(CO)$_6$(μ-SeCH$_2$Te) and Fe$_2$(CO)$_6$(μ-SCH$_2$Te) (P. Mathur, B. Manimaran, M.M. Hossain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173

Chalcogen–tin coordination

Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type Me$_2$Sn(X)CH$_2$CH$_2$P(E)Ph$_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45

Chromium

Addition von Phosphanen an das C$_\alpha$-Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in [(CO)$_5$CrNCN(C$_2$H$_5$)$_2$] (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29

Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229

Cluster

The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang and C.P. Cheng), 111

^{13}C NMR

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Cobaloximes

The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = *n*-C$_{14}$H$_{29}$ or *n*-C$_{15}$H$_{31}$. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20

Cobalt

The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = *n*-C$_{14}$H$_{29}$ or *n*-C$_{15}$H$_{31}$. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20

The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Conformational disorder

Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in [(CO)$_5$CrNCN(C$_2$H$_5$)$_2$] (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29

Copolymers

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Copper

Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179

Crown ethers

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143

Crystal structure

Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243

Insertion reaction of isocyanide into the Pt–C bonds of 2,5-thienylene-bridged diplatinum complexes and 2-thienyl platinum complexes: molecular structure of Cl(Et$_3$P)$_2$Pt-C(=NC$_6$H$_4$OMe-*p*)C$_4$H$_2$SC (=NC$_6$H$_4$OMe-*p*)Pt(PEt$_3$)$_2$Cl · CH$_2$Cl$_2$ (K. Onitsuka, K. Murakami, K. Matsukawa, K. Sonogashira, T. Adachi and T. Yoshida), 117

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes PdX(C$_4$H$_8$){(pz)$_3$-BH} (X = OH, Cl, Br, I). The crystal structure of the hydroxo-platinum(IV) complex Pt(OH)Me$_2${(pz)$_3$BH}, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

Photochemical reaction of W(CO)$_6$ with SnCl$_4$. II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), [WCl$_4$(OPPh$_3$)$_2$] (T. Szymańska-Buzar and T. Głowiak), 203

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds Fe$_2$(CO)$_6$(μ-SeCH$_2$Te) and Fe$_2$(CO)$_6$(μ-SCH$_2$Te) (P. Mathur, B. Manimaran, M.M. Hossain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173

The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = *n*-C$_{14}$H$_{29}$ or *n*-C$_{15}$H$_{31}$. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20

Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155

(Z)-1-[2-(Triarylstannyl)vinyl]-1-cycloheptanols: synthesis, characterization, halodemetallation and crystal structures (F. Fu, H. Li, D. Zhu, Q. Fang, H. Pan, E.R.T. Tiekink, F. Kayser, M. Biesemans, I. Verbruggen, R. Willem and M. Gielen), 163

Cyanamide complex

Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-[Pt(CF$_3$)(NCNEt$_2$)(PPh$_3$)$_2$][BF$_4$] (M.F.C. Guedes da Silva, E.M.P.R.P.

Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89

Cyanoguanidine complex

Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-[$Pt(CF_3)$-$(NCNEt_2)(PPh_3)_2$][BF_4] (M.F.C. Guedes da Silva, E.M.P.R.P. Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89

(5 + 2, 3 + 2)-Cycloadditions

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl-η^5-cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

Cyclohexadienyl

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl-η^5-cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

Cyclometallated

Metal complexes of biologically important ligands: synthesis of amino acidato complexes of Pd^{II} containing a *C,N*-cyclometallated group as an ancillary ligand (R. Navarro, J. García, E.P. Urriolabeitia, C. Cativiela and M.D. Diaz-de-Villegas), 35

Cyclopentadienyl

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

Cyclopropanation

Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239

Dialkylstannanes

Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14

Dimerization

[2 + 2] Dimerization of norbornadiene and its derivatives in the presence of nickel complexes and zinc metal (D.-J. Huang and C.-H. Cheng), C1

1,3-dioxa-2-stannolanes

Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14

Diphosphine

The coordinatively unsaturated cluster cations [$Pt_3\{M(CO)_3\}(\mu$-$Ph_2PCH_2PPh_2)_3]^+$ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1

Electrochemistry

Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-*N,O* ligand (D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, S. Garcia-Yuste and M. Fajardo), 7

Epoxidation

Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239

EPR

Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-*N,O* ligand (D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, S. Garcia-Yuste and M. Fajardo), 7

Ethene

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Ferrocene

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243

Fluxionality

$M(CO)_4$ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83

Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155

Free carbenes

Homoleptic carbene complexes VI. Bis{1,1′-methylene-3,3′-dialkyl-diimidazolin-2,2′-diylidene}palladium chelate complexes by the free carbene route (W.P. Fehlhammer, T. Bliss, U. Kernbach and I. Brüdgam), 149

Fused zwitterionic heterocycles

Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197

Gadolinium

Syntheses and crystal structures of $(C_8H_8)Nd(C_5H_9C_5H_4)(THF)_2$ and [$(C_8H_8)Gd(C_5H_9C_4H_4(THF)$][$(C_8H_8)Gd(C_5H_9C_5$-$H_4(THF)_2$] (J. Jin, X. Zhuang, Z. Jin and W. Chen), C8

Germanium

Synthesis and crystal structure of the organogermanium complex of ytterbium [$(Ph_2Ge)_4Yb(THF)_4$] · 4THF with a five-membered Ge_4Yb cycle (L.N. Bochkarev, V.M. Makarov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C29

Heterometallic cycle

Synthesis and crystal structure of the organogermanium complex of ytterbium [$(Ph_2Ge)_4Yb(THF)_4$] · 4THF with a five-membered Ge_4Yb cycle (L.N. Bochkarev, V.M. Makarov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C29

Hydrido complexes

Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11

Hydrogenation

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit [$Rh(COD)_2$]BF_4 (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

Hydrogen bonding

The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = *n*-$C_{14}H_{29}$ or *n*-$C_{15}H_{31}$. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic

compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20

Hydroxoplatinum

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)\{(pz)_3BH\}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxoplatinum(IV) complex $Pt(OH)Me_2\{(pz)_3BH\}$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

Hydroxyalkyl phosphines

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[Rh(COD)_2]BF_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

Imidazole

The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang and C.P. Cheng), 111

Imine

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Intramolecular

Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)CH_2CH_2P(E)Ph_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45

Iridium

The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Iron

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243

Reaction of an iron–lithium complex with tolane and the structure of dilithiumtetraphenylbutadiene formed (T.A. Bazhenova, A.F. Shestakov, A.E. Shilov, M.Yu. Antipin, K.A. Lyssenko and Yu.T. Struchkov), 71

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $Fe_2(CO)_6(\mu\text{-}SeCH_2Te)$ and $Fe_2(CO)_6(\mu\text{-}SCH_2Te)$ (P. Mathur, B. Manimaran, M.M. Hossain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143

Isocyanide

Insertion reaction of isocyanide into the Pt–C bonds of 2,5-thienylene-bridged diplatinum complexes and 2-thienyl platinum complexes: molecular structure of $Cl(Et_3P)_2PtC(=NC_6H_4OMe\text{-}p)C_4H_2SC(=NC_6H_4OMe\text{-}p)Pt(PEt_3)_2Cl \cdot CH_2Cl_2$ (K. Onitsuka, K. Murakami, K. Matsukawa, K. Sonogashira, T. Adachi and T. Yoshida), 117

Lithium

Reaction of an iron–lithium complex with tolane and the structure of dilithiumtetraphenylbutadiene formed (T.A. Bazhenova, A.F. Shestakov, A.E. Shilov, M.Yu. Antipin, K.A. Lyssenko and Yu.T. Struchkov), 71

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

Manganese

Photochemische Reaktionen von Übergangsmetall– Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl-η^5-2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5-7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl-η^5-cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

The coordinatively unsaturated cluster cations $[Pt_3\{M(CO)_3\}(\mu\text{-}Ph_2PCH_2PPh_2)_3]^+$ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1

Mechanism

Nucleophile-assisted racemisations of halosilanes — kinetic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 75

Mercury

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243

Metalaheterocumulene

Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in $[(CO)_5CrNCN(C_2H_5)_2]$ (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29

Metal clusters

The coordinatively unsaturated cluster cations $[Pt_3\{M(CO)_3\}(\mu\text{-}Ph_2PCH_2PPh_2)_3]^+$ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1

Metallacycle

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)\{(pz)_3BH\}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxoplatinum(IV) complex $Pt(OH)Me_2\{(pz)_3BH\}$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

Metathesis

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Molecular switches

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143

Molybdenum

$M(CO)_4$ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83

Multinuclear magnetic resonance
Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)CH_2CH_2P(E)Ph_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45

Neodymium
Syntheses and crystal structures of $(C_8H_8)Nd(C_5H_9C_5H_4)(THF)_2$ and $[(C_8H_8)Gd(C_5H_9C_4H_4(THF)][(C_8H_8)Gd(C_5H_9C_5H_4(THF)_2]$ (J. Jin, X. Zhuang, Z. Jin and W. Chen), C8
Neutron structure
Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in $[(CO)_5CrNCN(C_2H_5)_2]$ (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29
Nickel
[2 + 2] Dimerization of norbornadiene and its derivatives in the presence of nickel complexes and zinc metal (D.-J. Huang and C.-H. Cheng), C1
Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189
Niobium
Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-*N*,*O* ligand (D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, S. Garcia-Yuste and M. Fajardo), 7
Nitrosobenzene complexes
Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-*N*,*O* ligand (D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, S. Garcia-Yuste and M. Fajardo), 7
NMR
(Z)-1-[2-(Triarylstannyl)vinyl]-1-cycloheptanols: synthesis, characterization, halodemetallation and crystal structures (F. Fu, H. Li, D. Zhu, Q. Fang, H. Pan, E.R.T. Tiekink, F. Kayser, M. Biesemans, I. Verbruggen, R. Willem and M. Gielen), 163
Nuclear magnetic resonance
$M(CO)_4$ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)-pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83
Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197
Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189
Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[Rh(COD)_2]BF_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213
Nucleophilic addition
Addition von Phosphanen an das C_α-Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

Oxidation
Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)\{(pz)_3BH\}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxo-platinum(IV) complex $Pt(OH)Me_2\{(pz)_3BH\}$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18
Oxidative addition
The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Palladium
Metal complexes of biologically important ligands: synthesis of amino acidato complexes of Pd^{II} containing a *C*,*N*-cyclometallated group as an ancillary ligand (R. Navarro, J. García, E.P. Urriolabeitia, C. Cativiela and M.D. Diaz-de-Villegas), 35
Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)\{(pz)_3BH\}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxo-platinum(IV) complex $Pt(OH)Me_2\{(pz)_3BH\}$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18
Pentadienyl
Photochemische Reaktionen von Übergangsmetall– Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl-η^5-2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5-7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125
Phenolato complexes
Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-}C_5H_5)_2ZrCl(OC_6H_4PPh_2)]$ and $[(\eta^5\text{-}C_5H_5)_2Zr(OC_6H_4PPh_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21
Phosphane complexes
Addition von Phosphanen an das C_α-Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221
Phospharuthenocenes
Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155
Phosphine
Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[Rh(COD)_2]BF_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213
Phosphinophenolato complexes
Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-}C_5H_5)_2ZrCl(OC_6H_4PPh_2)]$ and $[(\eta^5\text{-}C_5H_5)_2Zr(OC_6H_4PPh_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21
Phosphorus
Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)CH_2CH_2P(E)Ph_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45
Photochemical reactions
Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl-η^5-cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

Photochemistry
Photochemische Reaktionen von Übergangsmetall– Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl-η^5-2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5-7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125
Platinum
Insertion reaction of isocyanide into the Pt–C bonds of 2,5-thienylene-bridged diplatinum complexes and 2-thienyl platinum complexes: molecular structure of $Cl(Et_3P)_2PtC(=NC_6H_4OMe\text{-}p)C_4H_2SC(=NC_6H_4OMe\text{-}p)Pt(PEt_3)_2Cl \cdot CH_2Cl_2$ (K. Onitsuka, K. Murakami, K. Matsukawa, K. Sonogashira, T. Adachi and T. Yoshida), 117
Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-$[Pt(CF_3)(NCNEt_2)(PPh_3)_2][BF_4]$ (M.F.C. Guedes da Silva, E.M.P.R.P. Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89
Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179
The coordinatively unsaturated cluster cations $[Pt_3\{M(CO)_3\}(\mu\text{-}Ph_2PCH_2PPh_2)_3]^+$ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1
Polyferrocene
Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143
Polymers
Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32
Polynuclear
Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179
Potassium complexes
Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143
Propene
Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32
Pyridine
The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang and C.P. Cheng), 111

Racemisation
Nucleophile-assisted racemisations of halosilanes — kinetic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 75
Rearrangement
Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229
Redox couples
Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143
Reduction
Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14
Rhenium
Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11
The coordinatively unsaturated cluster cations $[Pt_3\{M(CO)_3\}(\mu\text{-}Ph_2PCH_2PPh_2)_3]^+$ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1
The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang and C.P. Cheng), 111
Rhodium
Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(dtbpm)RhCl]_2$ and of the silyl complex $(dtbpm)Rh[Si(OEt)_3](PMe_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51
The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27
Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[Rh(COD)_2]BF_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213
Ruthenium
Complexation and aromatization of α,β-unsaturated cyclic ketones by $Ru(H_2O)_6^{2+}$ and $(Bz)Ru(H_2O)_3^{2+}$: molecular structure of (η^6-Tosylate)(η^5-hydroxycyclopentadienyl)Ru and of (η^6-Tosylate)(η^6-1,4-dihydroxy-2,3,5,6-tetramethylbenzene)Ru (U. Koelle, Chr. Weißschädel and U. Englert), 101
Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11
Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155
Ruthenocene
Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155

Selenium
Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $Fe_2(CO)_6(\mu\text{-}SeCH_2Te)$ and $Fe_2(CO)_6(\mu\text{-}SCH_2Te)$ (P. Mathur, B. Manimaran, M.M. Hossain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173
The first example of α-organoseleno arsonium ylides and its Wittig-type reaction (Z.-Z. Huang, X. Huang and Y.-Z. Huang), C23
Silicon
Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239
Nucleophile-assisted racemisations of halosilanes — kinetic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 75
Silver
Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179

Spiro-metallacycles
Homoleptic carbene complexes VI. Bis{1,1'-methylene-3,3'-dialkyl-diimidazolin-2,2'-diylidene}palladium chelate complexes by the free carbene route (W.P. Fehlhammer, T. Bliss, U. Kernbach and I. Brüdgam), 149
Stannyl
Synthesis of mixed organotin compounds via dialkylstannyl derivatives of sulphomaleic anhydride (V.I. Shcherbakov, I.P. Malysheva and R.P. Zakharova), 209
Synthesis
Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14

Tellurium
Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $Fe_2(CO)_6(\mu\text{-}SeCH_2Te)$ and $Fe_2(CO)_6(\mu\text{-}SCH_2Te)$ (P. Mathur, B. Manimaran, M.M. Hossain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173
Tin
Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239
Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)CH_2CH_2P(E)Ph_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45
Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[WCl_4(OPPh_3)_2]$ (T. Szymańska-Buzar and T. Głowiak), 203
Synthesis of mixed organotin compounds via dialkylstannyl derivatives of sulphomaleic anhydride (V.I. Shcherbakov, I.P. Malysheva and R.P. Zakharova), 209
(Z)-1-[2-(Triarylstannyl)vinyl]-1-cycloheptanols: synthesis, characterization, halodemetallation and crystal structures (F. Fu, H. Li, D. Zhu, Q. Fang, H. Pan, E.R.T. Tiekink, F. Kayser, M. Biesemans, I. Verbruggen, R. Willem and M. Gielen), 163
Titanium
Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-}C_5H_5)_2ZrCl(OC_6H_4PPh_2)]$ and $[(\eta^5\text{-}C_5H_5)_2Zr(OC_6H_4PPh_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21
Titanocenes
Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32
Triphenylphosphine oxide
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[WCl_4(OPPh_3)_2]$ (T. Szymańska-Buzar and T. Głowiak), 203
Tungsten
Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229
$M(CO)_4$ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)-pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83
Tungsten(IV)
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[WCl_4(OPPh_3)_2]$ (T. Szymańska-Buzar and T. Głowiak), 203

Unsaturated cyclic ketones
Complexation and aromatization of α,β-unsaturated cyclic ketones by $Ru(H_2O)_6^{2+}$ and $(Bz)Ru(H_2O)_3^{2+}$: molecular structure of (η^6-Tosylate)(η^5-hydroxycyclopentadienyl)Ru and of (η^6-Tosylate)(η^6-1,4-dihydroxy-2,3,5,6-tetramethylbenzene)Ru (U. Koelle, Chr. Weißschädel and U. Englert), 101

Water
Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)\{(pz)_3BH\}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxoplatinum(IV) complex $Pt(OH)Me_2\{(pz)_3BH\}$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

X-ray diffraction
Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[WCl_4(OPPh_3)_2]$ (T. Szymańska-Buzar and T. Głowiak), 203
Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189
Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-$[Pt(CF_3)(NCNEt_2)(PPh_3)_2][BF_4]$ (M.F.C. Guedes da Silva, E.M.P.R.P. Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89
Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $Fe_2(CO)_6(\mu\text{-}SeCH_2Te)$ and $Fe_2(CO)_6(\mu\text{-}SCH_2Te)$ (P. Mathur, B. Manimaran, M.M. Hossain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173
Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179
X-ray structure
Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(dtbpm)RhCl]_2$ and of the silyl complex $(dtbpm)Rh[Si(OEt)_3](PMe_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51
Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in $[(CO)_5CrNCN(C_2H_5)_2]$ (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29
Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-}C_5H_5)_2ZrCl(OC_6H_4PPh_2)]$ and $[(\eta^5\text{-}C_5H_5)_2Zr(OC_6H_4PPh_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11

X-ray structure analysis

Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229

Ylide complexes

Addition von Phosphanen an das C_α-Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

Ytterbium

Synthesis and crystal structure of the organogermanium complex of ytterbium $[(Ph_2Ge)_4Yb(THF)_4] \cdot 4THF$ with a five-membered Ge_4Yb cycle (L.N. Bochkarev, V.M. Makarov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C29

Zinc

[2 + 2] Dimerization of norbornadiene and its derivatives in the presence of nickel complexes and zinc metal (D.-J. Huang and C.-H. Cheng), C1

Zirconium

Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-}C_5H_5)_2ZrCl(OC_6H_4PPh_2)]$ and $[(\eta^5\text{-}C_5H_5)_2Zr(OC_6H_4PPh_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

Book reviews

American Chemical Society Advances in Chemistry Series, Vol. 238 Photosensitive Metal-Organic Systems — Mechanistic Principles and Applications, Charles Kutal and Nick Serpone (Eds.) (M. Poliakoff), C37

Catalytic Asymmetric Synthesis, I. Ojima (Ed.) (S. Caddick), C37

Iron Compounds in Organic Synthesis, A.J. Pearson (R.M.G. Roberts), C37

Organometallics in Synthesis: A Manual, M. Schlosser (Ed.) (C. Eaborn), C37

The Chemistry of the Copper and Zinc Triads, A.J. Welch and S.K. Chapman (Eds.) (C. Eaborn), C37